

Form - IV
(See rule 13)
ANNUAL REPORT (For All Region)

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Ajay Jain (Director)
	(ii) Name of HCF or CBMWTF	:	Hoswin Incinerator Pvt. Ltd.
	(iii) Address for Correspondence	:	363 A Mahalaxmi Nagar Main Road Indore - 452010
	(iv) Address of Facility		196 , 197 Sector F, Sanwer Road Industrial Area, Indore
	(v) Tel. No, Fax. No	:	0731 4065172
	(vi) E-mail ID	:	info.hoswin@gmail.com
	(vii)URL of Website		www.hoswinindia.com
	(viii)GPS coordinates of HCF or CBMWTF		22.7196 75.8577
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x).Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	BMW AUTH NO : AWBS - 56107, VALID UPTO : 31/05/2027
	(xi).Status of Consents under Water Act and Air Act	:	CCA No: AWBS - 56107, VALID UPTO : 31/05/2027
2.	Type of Health Care Facility	:	Common Biomedical Waste Treatment Facility
	(i) Bedded Hospital	:	485
	(ii)Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	1355
	(iii)License number and its date of expiry		
3.	Details of CBMWTF	:	
	(i)Number health care facilities covered by CBMWTF	:	1840
	(ii)No of beds covered by CBMWTF	:	21626
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	28000 Kg perday
	(iv)Quantity of biomedical waste treated or disposed by CBMWTF	:	4177 Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 1073201
			Red Category : 231182
			White : 14699
			Blue Category : 205355
			General Solid waste : NA

5	DetailsoftheStorage,treatment,transportation,processingandDisposalFacility					
	(i)Details of the on – site storage facility	:	Size : 700 sq mt			
			Capacity: 20 TPD			
			Provision of on-site storage : (cold storage or any other provision)– Nil			
	Disposal facilities		Type of treatment equipment	No of units	Capacity Kg/Day	Quantity treated or disposed in kg per annum
			Incinerators	1	500 kg/hr	1073201
			Incinerator Stand by	1	350 kg/hr	436537
			Autoclaves	2	500 Kg/hr	436537
			Shredder	4	300 kg/hr	14699
			Sharps encapsulation or concrete pit	1		
	(iii)Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 436537 kg			
	(iv)No of vehicles used for collection and transportation of biomedical waste	:	22 Nos			
	(v)Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated Incineration Ash 29275 kg ETP Sludge Nil kg			Where disposed MP waste management /secured landfill
	(vi)Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Ours is a CBWTF			
	(vii)List of member HCF not handed over bio-medical waste.		Nil			
6	Do you have bio-medical waste management committee? If yes , attach minutes of the meetings held during the reporting period		NA			

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		32
	(ii) number of personnel trained		801
	(iii) number of personnel trained at the time of induction		48
	(iv) number of personnel not undergone any training so far		Nil
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		
8	Details of the accident occurred during the year		Nil
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes
	Details of Continuous online emission monitoring systems installed		Yes and functional
10	Liquid waste generated and treatment Methods in place. How many times you Have not met the standards in a year?		Yes and functional
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) Yes

Certified that the above report is for the period from 1 Jan 2022 to 31 Dec 2022

Name and Signature of the Head of the Institution

Date: 15.03.2023

Place: Indore



